



JOURNEY TO RELAXATION.™

FANTASY SPAS®

DON'T WAIT. STEP INTO YOUR FANTASY.

We believe in the power of warm water to comfort, relieve, and rejuvenate. That's why we focus our efforts on a clear mission: to make hot tub ownership an affordable reality.

It all starts with making quality hot tubs that are easy to own and simple to install. When you own a Fantasy® spa, you join a community of happy hot tubbers who have made their fantasy a reality.



AFFORDABLE

Our hot tubs are rotationally molded, a manufacturing process that involves less labor and material than an acrylic spa, resulting in a durable, unibody hot tub shell designed to look great and perform great for years to come.



PORTABLE

High on quality, low on weight, and designed to fit almost anywhere, Fantasy Spas can easily be moved around your backyard or across town.




PLUG-N-PLAY

Fantasy Spas® plug in anywhere! No need for additional plumbing or special wiring. Simply fill the hot tub with water, plug it in to a standard 110v outlet, and enjoy!



ENERGY EFFICIENT

With an internal thermostat, full foam insulation, and locking thermal cover, Fantasy Spas keep the water hot and ready for your next soak session. Plus, our spas conform to the strict guidelines set forth by the California Energy Commission (CEC), so you can rest easy knowing your hot tub is operating efficiently.





HOT TUBBING IS AS EASY AS 1-2-3!

1. Fill it up (with your garden hose)
2. Plug it in (to a standard 110v outlet)
3. Enjoy!

FANTASY SPAS®

PICTURE YOURSELF IN A FANTASY SPA!

Free your spirit with mini-vacations right outside your back door.

Turn your backyard into an outdoor retreat, nestled amongst the pines in the crisp mountain air. Or an all-inclusive beach vacation. Or a faraway city. It's your Fantasy, you choose.

Indulge in all the benefits of hydrotherapy when you make this dream a reality with your own Fantasy Spas hot tub.

FEATURING:

- Durable, rotomolded unibody shell
- Intuitive digital control panel
- Plug-N-Play technology
- Perfectly placed jets
- Serene waterfall (available on most models)
- Multi-color underwater LED lights
- Thermal locking cover
- Energy-saving programmable modes








Aspire® shown in Taupe



Drift® shown in Sand with Chestnut cover






ASPIRE®



-  Seats 2 Adults
-  10 Jets
-  120 Gallons
-  250 Pounds (Dry Weight)
-  6' x 3'11" x 28" H






EMBRACE®



-  Seats 2-3 Adults
-  17 Jets
-  185 Gallons
-  302 Pounds (Dry Weight)
-  5'10" x 5'10" x 31" H






DRIFT®



-  Seats 4 Adults
-  17 Jets
-  185 Gallons
-  284 Pounds (Dry Weight)
-  5'8" x 5'3" x 32" H






ENAMOR™



-  Seats 4 Adults
-  19 Jets
-  230 Gallons
-  358 Pounds (Dry Weight)
-  6'9" x 5'3" x 33" H






SPLENDOR®



-  Seats 5 Adults
-  18 Jets
-  265 Gallons
-  359 Pounds (Dry Weight)
-  6'6" R x 34" H

ENTICE®




-  Seats 5 Adults
-  27 Jets
-  275 Gallons
-  380 Pounds (Dry Weight)
-  7'2" x 6'5" x 33"

COLOR OPTIONS:



Sand



Taupe



Espresso

ACCESSORIES

THE COOL STEP™

Truly the coolest step available! It has an insulated top step and lid to keep drinks cold for days while you enjoy your spa. Don't need a cooler? You can also store towels, pool toys, chemicals, and more in this spacious step.

Built from the same durable material and colors as your Fantasy Spas® hot tub, the Cool Step will complement your spa, creating a hot tubbing experience as stylish as it is functional.

Outer Dimensions: 28" L x 32" W x 15" H

Cooler Dimensions: 9" L x 24" W x 14" H

Weight: 22.5 lbs.

Materials: Rugged, rotationally molded construction

Insulation: Full foam insulation of the top step and lid

Colors: Sand, Taupe, Espresso

Pairs With: Aspire®, Embrace®, Enamor™, Entice®



FANTASY SPAS STRAIGHT STEP

Outer Dimensions: 28" L x 32" W x 15" H

Weight: 17 lbs.

Materials: Rugged, rotationally molded construction

Colors: Sand, Taupe, Espresso

Pairs With: Aspire®, Embrace®, Enamor™, Entice®

FANTASY SPAS CURVED STEP

Outer Dimensions: 28" L x 32" W x 15" H

Weight: 17 lbs.

Materials: Rugged, rotationally molded construction

Colors: Sand, Taupe, Espresso

Pairs With: Drift®, Splendor®



Round out your hot tubbing experience with accessories that will enhance your relaxation time.

COVER LIFTER

Start each hot tubbing session off right with a cover lifter that makes removing and replacing the cover a breeze.

18" clearance recommended



Entice shown in Sand with Chestnut cover and lifter

Entice® shown in Sand



Enamor™ shown in Taupe



WATER CARE

CLEAR WATER MADE SIMPLE

Spend more time soaking in crystal clear water with proper water maintenance made simple.

The Ozone System mixes concentrated ozone bubbles into the water to neutralize contaminants such as lotions, detergents, and organic waste.

Replacement filters are essential to maintaining clean water and ensuring proper performance of your hot tub.



Ozone System



Replacement filters

Embrace® shown in Taupe



Splendor® shown in Sand



RELAX


REFRESH

RECONNECT

REJOICE

RECOVER

Entice® shown in Sand



Drift® shown in Sand



	ASPIRE®	DRIFT®	EMBRACE®	ENAMOR™	ENTICE®
Seating Capacity	2 Adults	4 Adults	2-3 Adults	4 Adults	5 Adults
Dimensions	6' x 3'11" x 28" / 183 x 119 x 71 cm	5'8" x 5'3" x 32" / 173 x 160 x 81 cm	5'10" x 5'10" x 31" / 178 x 178 x 79 cm	6'9" x 5'3" x 33" / 206 x 160 x 84 cm	7'2" x 6'5" x 33" / 218 x 196 x 84 cm
Water Capacity	120 gallons / 454 liters	185 gallons / 700 liters	185 gallons / 700 liters	230 gallons / 871 liters	275 gallons / 1,041 liters
Dry Weight	250 lbs / 113 kg	284 lbs / 129 kg	302 lbs / 137 kg	358 lbs / 162 kg	380 lbs / 172 kg
Shape	Rectangular / Lounge	Rectangular / Non-lounge	Triangular / Non-lounge	Rectangular / Non-lounge	Rectangular / Lounge
Shell Type	Rotomolded	Rotomolded	Rotomolded	Rotomolded	Rotomolded
Shell Color Options	Sand, Taupe, Espresso	Sand, Taupe, Espresso	Sand, Taupe, Espresso	Sand, Taupe, Espresso	Sand, Taupe, Espresso
Cabinet Options	Roto-matching color	Roto-matching color	Roto-matching color	Roto-matching color	Roto-matching color
Jet Count	10 with stainless steel trim	17 with stainless steel trim	17 with stainless steel trim	19 with stainless steel trim	27 with stainless steel trim
Water Feature	N/A	Waterfall	Waterfall	Waterfall	Waterfall
Lighting	Multi-color LED light	Multi-color LED light	Multi-color LED light	Multi-color LED light	Multi-color LED light
Control System	Gecko control system	Gecko control system	Gecko control system	Gecko control system	Gecko control system
Electrical Configuration	110v Plug-N-Play includes GFCI power cord / 230v convertible*	110v Plug-N-Play includes GFCI power cord / 230v convertible*	110v Plug-N-Play includes GFCI power cord / 230v convertible*	110v Plug-N-Play includes GFCI power cord / 230v convertible*	110v Plug-N-Play includes GFCI power cord / 230v convertible*
Heater	1KW (110v) / 4KW (230v)	1KW (110v) / 4KW (230v)	1KW (110v) / 4KW (230v)	1KW (110v) / 4KW (230v)	1KW (110v) / 4KW (230v)
Pump	1.5 BPH Two-speed	1.5 BPH Two-speed	1.5 BPH Two-speed	1.5 BPH Two-speed	1.5 BPH Two-speed
Ozone System	Ozone Ready**	Ozone Ready**	Ozone Ready**	Ozone Ready**	Ozone Ready**
Water Care Options	Available as aftermarket	Available as aftermarket	Available as aftermarket	Available as aftermarket	Available as aftermarket
Filter Size	25 sq. ft.	50 sq. ft.	50 sq. ft.	50 sq. ft.	50 sq. ft.
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	2.5" to 4.0" tapered, 1lb. density foam core	2.5" to 4.0" tapered, 1lb. density foam core	2.5" to 4.0" tapered, 1lb. density foam core	2.5" to 4.0" tapered, 1lb. density foam core	2.5" to 4.0" tapered, 1lb. density foam core
Cover Color Options	Chestnut, Gray	Chestnut, Gray	Chestnut, Gray	Chestnut, Gray	Chestnut, Gray
Accessories	Removable Accessories Tray; Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)	Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)	Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)	Built-In Ice Bucket; Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)	Built-In Ice Bucket; Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)
Warranty	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor

All Spas can be converted to 230 volts. *GFCI protected sub-panel required in 230v mode. **Can be installed at time of purchase.

SPLENDOR®	
Seating Capacity	5 Adults
Dimensions	6'6" R x 34" / 198 x 86 cm
Water Capacity	265 gallons / 1,003 liters
Dry Weight	359 lbs / 163 kg
Shape	Round / Non-lounge
Shell Type	Rotomolded
Shell Color Options	Sand, Taupe, Espresso
Cabinet Options	Roto-matching color
Jet Count	18 with stainless steel trim
Water Feature	Whirlpool jet
Lighting System	Multi-color LED light
Control System	Gecko control system
Electrical Configuration	110v Plug-N-Play includes GFCI power cord / 230v convertible*
Heater	1KW (110v) / 4KW (230v)
Jet Pump	1.5 BPH Two-speed
Ozone System	Ozone Ready**
Water Care Options	Available as aftermarket
Filter Size	50 sq. ft.
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	2.5" to 4.0" tapered, 1lb. density foam core
Cover Color Options	Chestnut, Gray
Accessories	Cover Lifter (Optional); The Cool Step™ (Optional); Steps (Optional)
Warranty	5-Year Structure; 5-Year Shell/Surface; 1-Year Equipment & Labor; 1-Year No Leak Plumbing & Labor

All Spas can be converted to 230 volts.
 *GFCI protected sub-panel required in 230v mode.
 **Can be installed at time of purchase.

Splendor® shown in Sand



BUILDING QUALITY SPAS SINCE 1977.

Over 1 million hot tubs and counting.

A hot tub is so much more than just warm water and jets. It's a great way to spend time together, unwind, and relieve tension. Let us help you escape from the aches and pains of the day-to-day grind.

Choosing a Fantasy® spa comes with the peace of mind that you are purchasing from Watkins Wellness, global hot tub leader with more than one million hot tubs built. The unmatched experience of Watkins Wellness means unsurpassed quality and workmanship, along with long-term reliability for you and your family.

Watkins Wellness is part of Masco Corporation, a Fortune 500 company whose family of quality home products includes Delta® faucets, Behr® paint and KraftMaid® cabinets.



fantasy-spas.com
facebook.com/fantasy-spas



© 2019 Watkins Wellness. 1280 Park Center Drive, Vista, California 92081. Specifications, colors and surface materials are subject to change without notice. Not all features are available on all products. Printed in USA. Fantasy, Journey to Relaxation, Aspire, Drift, Embrace, Enamor, Entice and Splendor are trademarks of Watkins Manufacturing Corporation. All 230v models must be installed by a licensed electrician in accordance with local codes.

PN 63008.19 Rev.1